

Pint

2

=

Conversion Tables, Formulas and Suggested Guidelines for Horticultural Use

Gallon

Π

%

36

$A + B + C$

10


5

Π

$A + B + C$

Liter

%



[]

=

+

#

**Cooperative Extension Service
The University of Georgia College of Agricultural and Environmental Sciences**

7

pH

Table of Contents

Table No.	Page
1. Equivalents for liquid measure (volume)	3
2. Equivalents for dry measure and weight	4
3. Metric system conversion table	5
4. Dilution of liquid pesticides at various concentrations	5
5. Equivalent quantities of dry materials (wetable powders) for various volumes of water based on recommended pounds per 100 gallons	6
6. Equivalent quantities of liquid materials (emulsion concentrates, etc.) for various volumes of water based on pints per 100 gallons	6
7. Rate of application equivalent table	7
8. Fertilizer conversions for specified square feet and row areas	8
9. Fertilizer weight as measured by standard pot size	9
10. Element concentrations for pounds soluble fertilizer in 1000 gallons (U.S.) water	10
11. Injection ratios and nitrogen concentrations for constant fertilization	11
12. Injector calibration with a conductivity meter	12
A. Peters Single Element Fertilizer Components	12
B. Peters Mixed Soluble Fertilizer Analysis	13
13. Parts per million of desired nutrient to ounces of fertilizer carrier in 100 gallons of water ¹⁵ (or grams in 1 liter) and vice versa	14
14. Conversion factors among electrical conductivity (EC) units	15
15. Various acids to add to irrigation water for acidification	16
16. Amounts of nutrient sources to combine in making various fertilizer formulas	17
17. Formulas for additional fertilizer calculations	18
18. Miscellaneous conversions used in fertilizer calculations	19
19. Osmocote® controlled-release fertilizers and their release periods	20
20. Rates in lb/yd ³ (kg/m ³) for incorporation of three of the most popular formulations of Nutricote into greenhouse root substrates	21
21. Materials, rates necessary to lower the pH level of greenhouse potting substrate 0.5 to 1.0 units ..	21
22. Approximate amount of materials required to change pH of potting mixes	22
23. Dilution/conversion chart for various chemical growth regulators	22
24. Pre-plant fertilizer sources and rates of application	26
25. Cornell Peat-lite Mix A for seedlings, bedding plants and potted plants	27
26. Number of pots per bushel and per cubic yard of soil mix	28
27. Number of nursery containers that can be filled from 1 yd ³ of soil mix	29
28. Coverage estimates for perlite, peat, topsoil and straw	29
29. Plant spacing guide (greenhouse)	30
30. Plant spacing guide (field/orchard)	30
Landscape	
31. Estimated number of plants to fill 100 ft ² bed area for square (row) and triangular (equilateral) planting patterns using 4 to 14 inch spacing distances	31
32. Number of bedding/groundcover plants required at various spacing for landscape planting	31
33. Number of plants per acre at various spacings	32
34. Times required to mow or trim lawn areas	33
35. Volume of water delivered - by size of hose	34
36. Cubic yards of soil needed at various depths and areas	34
37. Areas covered in square feet at various depths	35
38. Temperature conversion	35
Figure No.	
1A-C. Formulas for calculating greenhouse volume	Page 36
2A-C. Formulas for calculating variously-shaped areas	37

Conversion Tables, Formulas and Suggested Guidelines for Horticultural Use

*Bodie V. Pennisi, Gary L. Wade, Melvin P. Garber,
Paul A. Thomas and James T. Midcap
Horticulture Department*

Pesticide and fertilizer recommendations often are made on a pounds-per-acre or tons-per-acre basis for field production. However, greenhouse and nursery operators, landscape professionals and orchardists often must convert these recommendations to smaller areas, such as row feet or square feet per tree or per pot. Pints, cups, ounces, tablespoons and teaspoons often are the common units of measure. Metric units of measure can further complicate conversion.

This publication is designed to help growers make these calculations and conversions and to provide other data useful in the management, planning and operation of horticultural enterprises. A number of formulas for calculating fertilizer application rates on a parts-per-million basis are given. Tables for fertilizer injector calibration using a conductivity meter, as well as pre-plant application rates for various soil mix components and amendments, also are provided. A brief explanation of how each table is used is provided.

Tables 1 through 3 help determine equivalent measures for liquid (volume) or dry (weight) chemical substances and also converting metric to English units.

Table 1. Equivalents for liquid measure (volume)

Gallons	Quarts	Pints	Fluid Ounces	Cupfuls	Tablespoonful	Teaspoonful	Milliliters	Liters
1	4	8	128	16	256	768	3785	3.785
-	1	2	32	4	64	192	946	0.946
-	-	1	16	2	32	96	473	0.473
-	-	-	1	1/8	2	6	30	0.030
-	-	-	-	1	16	48	236	0.236
-	-	-	-	-	1	3	15	0.015
-	-	-	-	-	-	1	5	0.005
-	-	-	-	-	-	-	1	0.001

Table 2. Equivalents for dry measure and weight

Dry measure

3 level teaspoonfuls	= 1 level tablespoonful
16 level tablespoonfuls	= 1 cupful
2 cupfuls	= 1 pint
2 pints	= 1 quart

Weight

<u>Pounds/Ounces</u>	<u>Metric</u>
220.46 pounds	100 kilograms (kg)
100 pounds	45.349 kilograms
2.204 pounds	1 kilogram
1.102 pounds	500 grams (g)
1 pound/16 ounces	453.5900 grams
8 ounces	226.78 grams
4 ounces	113.39 grams
3.527 ounces	110 grams
2 ounces	56.70 grams
1 ounce	28.35 grams
3/4 ounce	21.25 grams
1/2 ounce	14.17 grams
1/4 ounce	7.08 grams
1/8 ounce	3.54 grams
1/16 ounce	1.77 grams
1/32 ounce	885 milligrams
1/64 ounce	442 milligrams
1/128 ounce	221 milligrams

Ounces-to-Grams

<u>Ounces</u>	<u>Grams</u>
3/8	10.631
1/2	14.75
5/8	17.718
3/4	21.162
7/8	24.805
1	28.349
2	56.698
1/256	0.111
1/128	0.221
1/64	0.443
1/32	0.886
1/16	1.772
1/8	3.544
1/4	7.087

Table 3. Metric system conversion table

Liquid capacity	
1 fluid ounce (fl oz)	30 milliliters (ml)
1 pint (pt) = 16 fl oz	473 ml
1 quart (qt)	946 ml
1 gallon (gal)	3,785 ml
1 liter	1,000 ml
1 milliliter (ml)	1 cubic centimeter (cc)
Dry material capacity	
1 ounce (avoirdupois)	28.4 grams (g)
1 pound (lb)	453.6 g
1 kilogram (kg)	1,000 g = 2.2 lb
Volume	
1 cubic inch (in ³)	16.4 milliliters (ml)
1 cubic foot (ft ³)	7.48 gal = 28.3 liters (l)
1 bushel (bu)	1.24 ft ³ = 35.2 liters
1 cubic yard (yd ³) ..	21.7 bu = 765 liters
Linear	
1 inch (in)	2.54 centimeters (cm)
1 foot (ft)	30.48 cm
1 yard (yd)	91.44 cm
1 meter (m)	100 cm
Area	
1 square inch (in ²)	6.45 square centimeters (cm ²)
1 square foot (ft ²) ..	0.09 square meter (m ²)
1 square yard (yd ²)	0.84 square meter (m ²)
1 acre (a)	0.40 hectare (ha)
1 square mile (M ²) ..	2.59 square kilometer (km ²)

Tables 4 through 7 help determine correct application rates for various pesticides.

Table 4. Dilution of liquid pesticides at various concentrations				
Dilution	Amount Desired			
	1 Gal	3 Gal	Gal	5 Gal
1:100	2 tbs + 2 tsp	½ cup	¾ cup + 5 tsp	1 cup + 3 tbs
1:200	4 tsp	¼ cup	6½ tbs	½ cup + 2 tbs
1:400	2 tsp	2 tbs	3 tbs	4 tbs + 2½ tsp
1:800	1 tsp	1 tbs	1 tbs + 2 tsp	3 tbs + 2½ tsp
1:1000	¾ tsp	2¼ tsp	1 tbs + 1 tsp	1 pt + ½ cup

Example: Directions call for a 1:200 dilution. To prepare 3 gal of finished product, you would need to add ¼ cup.

Table 5. Equivalent quantities of dry materials (wetable powders) for various volumes of water based on recommended pounds per 100 gallons

Water	Recommended Rate					
	1 lb	2 lb	1 lb	4 lb	5 lb	6 lb
50 gal	½ lb	1 lb	1½ lb	2 lb	2½ lb	3 lb
25 gal	4 oz	8 oz	12 oz	1 lb	1¼ lb	1½ lb
12.5 gal	2 oz	4 oz	6 oz	8 oz	10 oz	¾ lb
5 gal	3 tbs	1½ oz	2½ oz	¾ oz	4 oz	5 oz
1 gal	1 tsp	2 tsp	1 tbs	4 tsp	5 tsp	2 tbs

Example: Directions for use specify a rate of 4 lb per 100 gal of water. To prepare 1 gal of solution would require 4 tsp of material.

Table 6. Equivalent quantities of liquid materials (emulsion concentrates, etc.) for various volumes of water based on pints per 100 gallons

Water 100 gal	Recommended Rate					
	½ pt	1 pt	2 pt	3 pt	4 pt	5 pt
50 gals	4 fl oz	8 fl oz	1 pt	1½ pt	2 pt	2½ pt
25 gals	2 fl oz	4 fl oz	8 fl oz	12 fl oz	1 pt	1¼ pt
12.5 gals	1 fl oz	2 fl oz	4 fl oz	6 fl oz	8 fl oz	10 fl oz
5 gals	1 tbs	1 fl oz	2 fl oz	2½ fl oz	3 fl oz	4 fl oz
1 gal	½ tsp	1 tsp	2 tsp	3 tsp	4 tsp	5 tsp

Example: Directions for use specify a rate of 4 pt per 100 gal of water. To prepare 5 gal of solution would require 3 fl oz of material.

Table 7. Rate of application equivalent table

Rate per Acre	Rate per 1000 sq ft	Rate per 100 sq ft
LIQUID MATERIALS		
1 pt	$\frac{3}{4}$ tbs	$\frac{1}{4}$ tsp
1 qt	1½ tbs	$\frac{1}{2}$ tsp
1 gal	6 tbs	2 tsp
25 gal	4 $\frac{2}{3}$ pt	$\frac{1}{2}$ pt
50 gal	4 $\frac{2}{3}$ qt	1 pt
100 gal	2 $\frac{1}{3}$ gal	1 qt
200 gal	4 $\frac{2}{3}$ gal	2 qt
300 gal	7 gal	3 qt
400 gal	9 $\frac{1}{4}$ gal	1 gal
500 gal	11½ gal	1¼ gal
DRY MATERIALS		
1 lb	2½ tsp	$\frac{1}{4}$ tsp
3 lb	2¼ tbs	$\frac{3}{4}$ tsp
4 lb	3 tbs	1 tsp
5 lb	4 tbs	1¼ tsp
10 lb	$\frac{1}{2}$ cup	2 tsp
100 lb	2¼ lb	$\frac{1}{4}$ lb
200 lb	4 $\frac{2}{3}$ lb	$\frac{1}{2}$ lb
300 lb	7 lb	$\frac{3}{4}$ lb
400 lb	9¼ lb	1 lb
500 lb	11½ lb	1¼ lb

Examples: For liquid materials, 100 gal per acre is equivalent to 2 $\frac{1}{3}$ gal per 1000 ft² or 1 qt per 100 ft². For dry materials, 4 lb per acre is equivalent to 3 tbs per 1000 ft² or 1 tsp per 100 ft².

Tables 8 through 9 help determine the correct application rates for fertilizers when nutrition recommendations are based on fertilizer weight.

Table 8. Fertilizer conversions for specified square feet and row area								
MATERIAL GROUPED BY APPROXIMATE WEIGHT PER PINT	Recommended rate per acre*	FERTILIZER RATE FOR SPECIFIC AREAS				Per 10 feet of row spaced**		
		100 sq ft lb	1000 sq ft lb	10 sq ft tbs	100 sq ft pt	1 ft tbs	2 ft tbs	3 ft cup
10 oz per pint								
Sulfur or	100	0.2	2.3	1.2	0.4	1.2	2.4	0.2
Dried Blood	500	1.2	11.5	6.0	1.9	6.0	12.0	1.1
	1000	2.3	23.0	12.0	3.7	-	-	--
13 oz per pint								
Urea or	100	0.2	2.3	0.9	0.3	0.9	1.8	0.2
Ammonium Nitrate or	500	1.2	11.5	4.5	1.4	4.5	9.0	0.8
Ammonium Chloride	1000	2.3	23.0	9.0	2.8	-	-	-
16 oz per pint								
Ammonium Phosphate or	100	0.2	2.3	0.7	0.2	0.7	1.4	0.1
Potassium Chloride or	500	1.2	11.5	3.5	1.2	3.5	7.0	0.7
Gypsum or	1000	2.3	23.0	7.0	2.3	-	-	-
Mixed Fertilizers								
19 oz per pint								
Calcium Nitrate or	100	0.2	2.3	0.6	0.2	0.6	1.2	0.1
Ammonium Sulfate or	500	1.2	11.5	3.0	1.0	3.0	6.0	0.6
Superphosphate	1000	2.3	23.0	6.0	2.0	-	-	-
23 oz per pint								
Ground Limestone or	100	0.2	2.3	0.5	0.2	0.5	1.0	0.1
	500	1.2	11.5	2.5	0.8	2.5	5.0	0.5
Potassium Sulfate	1000	2.3	23.0	5.0	1.6	-	-	-
	2000	4.6	46.0	10.0	3.2	--	--	--

* Any of the materials listed in the first column can be used at the rates shown below. **High Rates, not desirable in row fertilization, are omitted in the table. **Example:** You wish to apply calcium nitrate at the rate of 500 lbs per acre. It weighs approximately 19 oz per pt. For application to 100 ft², you need 1.2 lb or 1.0 pt.

Table 9. Fertilizer weight as measured by standard pot size

Fertilizer	Pot Size					
	2¼"	3"	3½"	4"	5"	6"
Ammonium nitrate	2 oz	5½ oz	9 oz	15 oz	1 lb 12 oz	2 lb 15 oz
Urea, 45-0-0	2½ oz	6 oz	9 oz	1 lb	1 lb 13 oz	3 lb
Superphosphate	2½ oz	6 oz	9½ oz	1 lb	1 lb 14 oz	3 lb 2 oz
Dusting sulfur	2½ oz	6 oz	10 oz	1 lb	1 lb 14 oz	3 lb 3 oz
Peters, 20-5-30	2½ oz	6 oz	10 oz	1 lb 1 oz	1 lb 15 oz	3 lb 3 oz
Ammonium sulfate	3 oz	7 oz	11 oz	1 lb 3 oz	2 lb 3 oz	3 lb 11 oz
Osmocote, 14-14-14	3 oz	7½ oz	12 oz	1 lb 4 oz	2 lb 5 oz	3 lb 13 oz
MagAmp, 12-62-0	3 oz	7½ oz	12 oz	1 lb 4 oz	2 lb 5 oz	3 lb 14 oz
Gypsum, CaSO ₄	3 oz	8 oz	12½ oz	1 lb 5 oz	2 lb 7 oz	4 lb 1 oz
Calcium nitrate	3 oz	8 oz	12½ oz	1 lb 6 oz	2 lb 8 oz	4 lb 2 oz
Peters, 15-0-15	3½ oz	8 oz	13 oz	1 lb 6 oz	2 lb 9 oz	4 lb 5 oz
Potassium chloride	3½ oz	9 oz	14 oz	1 lb 8 oz	2 lb 12 oz	4 lb 9 oz
Sodium nitrate	4 oz	9 oz	15 oz	1 lb 9 oz	2 lb 14 oz	4 lb 13 oz
Dolomitic limestone	5½ oz	13 oz	1 lb 5 oz	2 lb 4 oz	4 lb 2 oz	6 lb 14 oz

Clay flower pots are frequently used for fertilizer measurement by greenhouse operators. The above shows average weights of several representative fertilizers as measured by standard clay pots when level full. The 3-inch standard is considered to contain 8 fl oz or 1 cup. Since the actual pot size varies with the manufacturer and the volume of a given weight of fertilizer varies with moisture and compaction, deviations of 10 percent may be expected but up to 40 percent may occur.

Tables 10 through 14 help determine the correct application rates for fertilizers with various analysis when nutrition recommendations are based on parts per million and fertilizer injectors are used to deliver liquid plant fertilizer. Table 12 is designed to help growers calibrate their injectors.

Table 10. Element concentrations for pounds soluble fertilizer in 1000 gal (U.S.) water													
Pounds of Fertilizer Needed													
Desired PPM	% Nitrogen (N)					% Phosphate (P₂O₅)				% Potash (K₂O)			
	30	25	20	15	10	20	15	10	5	25	20	15	10
300	8.3	10.0	12.5	16.7	23.0	--	--	--	--	12.0	15.0	20.0	30.0
275	7.8	9.2	11.4	15.3	23.0	--	--	--	--	11.0	13.7	18.2	27.5
250	7.3	8.4	10.2	13.9	21.8	--	--	--	--	10.0	12.5	16.7	26.2
225	6.2	7.5	9.3	12.5	18.7	--	--	--	--	9.0	11.3	15.0	22.5
200	5.6	6.7	8.4	11.1	16.7	19.2	--	--	--	8.0	10.0	13.3	20.0
175	4.9	5.8	7.3	9.7	14.6	16.8	22.4	--	--	7.0	8.8	10.7	17.5
150	4.2	5.0	6.3	8.3	12.5	14.4	19.2	28.8	--	6.0	7.6	10.0	15.0
125	3.5	4.2	5.3	7.0	10.2	12.0	16.0	24.0	48.0	5.0	6.2	8.4	12.5
100	2.8	3.4	4.2	5.6	8.3	9.6	12.6	19.2	38.4	4.0	5.0	6.7	10.0
75	2.1	2.5	3.1	4.2	6.2	7.2	9.6	14.4	28.8	3.0	3.8	5.0	7.5
50	1.4	1.7	2.1	2.8	4.2	4.8	6.4	9.6	19.2	2.0	2.5	3.4	5.0
25	0.7	0.9	1.1	1.4	2.1	2.4	3.2	4.8	9.6	1.0	1.3	1.7	2.5

Example: You wish to apply 200 ppm N using a 20-10-20 soluble fertilizer. Reading across from 200 ppm under the 20 percent N column, you find 8.4 lb are needed for 1000 gal water. **NOTES:** 1 oz/2 gal is about 30 lb/1000 gal; 1 oz/3 gal is about 20 lb/100 gal; 1 oz/5 gal is about 12 lb/1000 gal. 1 oz/gal = 7490 ppm; 1 oz/100 gal = 75 ppm. To determine parts per million (ppm) of an element in a fertilizer, simply multiply the percent of that element by 75. The answer will be the ppm of the element per oz of the fertilizer in 100 gal of water. As an example, ammonium sulfate contains approximately 20 percent nitrogen. Twenty percent multiplied by 75 is 15, which is the ppm of nitrogen in 1 oz of ammonium sulfate per 100 gal of water.

Table 11. Injection ratios and nitrogen concentrations for constant fertilization¹

oz fertilizer per gal concentrate				oz fertilizer per gal concentrate			
	100 ppm N	150 ppm N	200 ppm N		100 ppm N	150 ppm N	200 ppm N
Ratio	30% N formula^a			Ratio	20% N formula^c		
1:300	13.5	20.2	27.0	1:300	20.2	30.3	40.5
1:200	9.0	13.5	18.0	1:200	13.5	20.2	27.0
1:150	6.7	10.1	13.5	1:150	10.1	15.1	20.2
1:128	5.7	8.6	11.5	1:128	8.6	12.9	17.2
1:100	4.5	6.7	9.0	1:100	6.7	10.1	13.5
1:50	2.2	3.3	4.5	1:50	3.3	5.0	6.7
1:30	1.3	2.0	2.7	1:30	2.0	3.0	4.0
1:24	1.0	1.6	2.1	1:24	1.6	2.4	3.2
1:15	0.67	1.0	1.3	1:15	1.0	1.5	2.0
	25% N formula^b				15% N formula^d		
1:300	16.5	24.7	33.0	1:300	27.0	40.5	54.0
1:200	11.0	16.5	22.0	1:200	18.0	27.0	36.0
1:150	8.2	12.3	16.5	1:150	13.5	20.2	27.0
1:128	7.0	10.5	14.0	1:128	11.5	17.2	23.0
1:100	5.5	8.2	11.0	1:100	9.0	13.5	18.0
1:50	2.7	4.1	5.5	1:50	4.5	6.7	9.0
1:30	1.6	2.4	3.3	1:30	2.7	4.0	5.4
1:24	1.3	1.9	2.6	1:24	2.1	3.2	4.3
1:15	0.82	1.2	1.6	1:15	1.3	2.0	2.7

¹From Ball RedBook, 16th Edition, published by Ball Publishing. Reprinted with permission

^ae.g, 30-10-10

^be.g., 25-5-20, 25-10-10, 25-0-25

^ce.g., 20-20-20, 20-5-30, 21-7-7

^de.g., 15-15-15, 15-30-15, 16-4-12

Table 12. Injector calibration with a conductivity meter¹**A. Peters Single Element Fertilizer Components**

ppm Nitrogen	Ammonium Nitrate - NH ₄ NO ₃ 34% N	Ammonium Sulfate (NH ₄) ₂ SO ₄ 21% N	Sodium Nitrate NaNO ₃ 16% N	Potassium Nitrate - KNO ₃ 14% N	Calcium Nitrate Ca(NO ₃) ₂ 15.5% N	Epsom Salt MgSO ₄ 10% Mg
50	0.23	0.45	0.43	0.48	0.37	0.38
75	0.35	0.68	0.65	0.71	0.55	0.56
100	0.46	0.90	0.86	0.95	0.74	0.75
125	0.58	1.13	1.08	1.18	0.92	0.94
150	0.69	1.35	1.29	1.42	1.11	1.13
175	0.81	1.58	1.51	1.66	1.30	1.31
200	0.92	1.90	1.72	1.90	1.48	1.50
225	1.04	2.03	1.94	2.14	1.66	1.69
250	1.15	2.25	2.15	2.37	1.85	1.88
275	1.27	2.48	2.37	2.61	2.04	2.06
300	1.38	2.70	2.58	2.85	2.22	2.25
350	1.61	3.15	3.01	3.32	2.59	2.63
400	1.84	3.60	3.44	3.80	2.96	3.00
450	2.07	4.05	3.87	4.27	3.33	3.38
500	2.30	4.50	4.30	4.75	3.70	3.75
550	2.53	4.95	4.73	5.22	4.07	4.13
600	2.76	5.40	5.16	5.70	4.44	4.50
650	2.99	5.85	5.59	6.17	4.81	4.88
700	3.22	6.30	6.02	6.65	5.18	5.25
750	3.45	6.75	6.45	7.12	5.50	5.63
800	3.68	7.20	6.88	7.60	5.92	6.00
850	3.91	7.65	7.31	8.07	6.29	6.38
900	4.14	8.10	7.74	8.55	6.66	6.75
950	4.37	8.55	8.17	9.02	7.03	7.13
1000	4.60	9.00	8.60	9.50	7.40	7.50

¹ Adapted from Grace Horticultural Products. W.R. Grace & Co. Cambridge, Massachusetts 02140.

NOTES:

- 1) For use with meters in millimhos with Peters® Single Element Fertilizer Components.
- 2) These are readings made with distilled water.
- 3) Test your plain irrigation water first and subtract that reading from the fertilizer-injected water. For example, your water test indicates 0.5 mmhos and you are applying 500 ppm N with calcium nitrate. Your calibration reading is 3.70 - 0.5 = 3.20 mmhos.

B. Peters Mixed Soluble Fertilizer Analysis

ppm N	20-20-20 20-19-18	20-10-15	20-5-30	25-5-20	25-10-10 30-10-10	5-11-26 Hydrosol	15-16-17 15-11-29 15-20-25	15-15-15	15-10-30	15-30-15	15-0-15	16-4-12	21-7-7 Acid	21-7-7 Neutral
50	0.23	0.31	0.22	0.12	0.09	1.00	0.32	0.30	0.32	0.31	0.36	0.32	0.28	0.21
75	0.34	0.47	0.33	0.18	0.14	1.50	0.48	0.46	0.51	0.47	0.55	0.48	0.42	0.32
100	0.45	0.62	0.44	0.24	0.18	2.00	0.65	0.62	0.70	0.62	0.74	0.64	0.56	0.42
125	0.56	0.78	0.56	0.30	0.23	2.50	0.82	0.79	0.87	0.78	0.94	0.81	0.70	0.53
150	0.68	0.93	0.69	0.36	0.27	3.00	1.00	0.96	1.50	0.93	1.15	0.98	0.84	0.63
175	0.79	1.09	0.81	0.43	0.32	3.50	1.20	1.13	1.23	1.09	1.35	1.14	0.98	0.74
200	0.90	1.24	0.94	0.51	0.36	4.00	1.40	1.30	1.41	1.24	1.55	1.31	1.12	0.84
225	1.01	1.40	1.07	0.57	0.41	4.50	1.56	1.47	1.59	1.40	1.72	1.47	1.26	0.95
250	1.13	1.55	1.20	0.62	0.47	5.00	1.72	1.65	1.78	1.55	1.90	1.62	1.40	1.05
275	1.24	1.71	1.32	0.71	0.51	5.50	1.91	1.82	1.95	1.71	2.09	1.81	1.54	1.16
300	1.35	1.86	1.43	0.80	0.54	6.00	2.10	1.98	2.12	1.86	2.28	2.00	1.68	1.26
350	1.58	2.17	1.66	0.92	0.64	6.50	2.45	2.31	2.45	2.17	2.64	2.29	1.96	1.47
400	1.80	2.48	1.90	1.04	0.74	7.00	2.80	2.65	2.78	2.48	3.00	2.58	2.24	1.68
450	2.03	2.79	2.15	1.18	0.85	7.50	3.15	2.98	3.12	2.79	3.34	2.93	2.52	1.89
500	2.25	3.10	2.40	1.32	0.96	8.00	3.50	3.25	3.46	3.10	3.68	3.28	2.80	2.10
550	2.48	3.41	2.61	1.45	1.06	-	3.84	3.55	3.76	3.41	3.98	3.57	3.08	2.31
600	2.70	3.72	2.82	1.58	1.16	-	4.18	3.85	4.06	3.72	4.28	3.86	3.36	2.52
650	2.93	4.03	3.03	1.71	1.26	-	4.52	4.15	4.36	4.03	4.58	4.15	3.64	2.73
700	3.15	4.34	3.24	1.84	1.36	-	4.80	4.45	4.66	4.34	4.88	4.44	3.92	2.94
750	3.38	4.65	3.45	1.98	1.46	-	5.20	4.75	4.95	4.65	5.20	4.72	4.20	3.15
800	3.60	4.96	3.66	2.11	1.56	-	5.54	5.05	5.25	4.96	5.50	4.98	4.48	3.36
850	3.83	5.27	3.87	2.24	1.66	-	5.88	5.35	5.55	5.27	5.80	5.24	4.76	3.57
900	4.05	5.58	4.08	2.37	1.76	-	6.22	5.65	5.85	5.58	6.10	5.50	5.04	3.78
950	4.28	5.89	4.29	2.50	1.86	-	6.56	5.95	6.15	5.89	6.40	5.76	5.32	3.99
1000	4.50	6.20	4.5	2.63	1.96	-	6.90	6.25	6.45	6.20	6.70	6.00	5.60	4.20

NOTES: 1) For use with meters in millimhos with Peters® Fertilizer formulations. 2) These readings are made with distilled water. 3) Test your plain irrigation water first and subtract that reading from the fertilizer-injected water. For example, your water test indicates 0.2 mmhos and you are applying 200 ppm N with 15-15-15 fertilizer. Your calibration reading is 1.30 - 0.2 = 1.10 mmhos.

Table 13. Parts per million of desired nutrient to ounces of fertilizer carrier in 100 gallons of water (or grams in 1 liter) and vice versa¹

Ounces of Fertilizer Carrier in 100 Gallons	Percentage of Desired Nutrient in Fertilizer Carrier															
	12	13	14	15.5	16	20	20.5	21	33	44	45	53	60	62		
1	9	9.7	10.5	11.6	12.0	15.0	15.3	15.7	24.7	32.9	33.7	39.7	44.9	46.4		
2	18	19.5	21.0	23.2	24.0	29.9	30.7	31.4	49.4	65.9	67.4	79.3	89.8	92.0		
3	27	29.3	31.4	35.0	35.9	44.9	46.0	47.2	74.1	98.8	101.0	117.0	134.7	139.2		
4	36	38.9	41.9	46.4	47.9	59.9	61.4	62.9	98.8	131.7	134.7	158.7	179.6	185.6		
6	54	58.4	62.9	70.0	71.9	89.9	92.1	94.3	148.2	197.6	202.1	238.0	269.4	278.4		
8	72	77.8	83.8	92.8	95.8	119.7	122.7	125.7	197.6	263.4	269.4	317.3	359.2	371.2		
16	144	155.7	167.7	185.6	191.7	239.5	245.5	251.5	395.2	526.9	538.9	634.6	718.5	742.4		
24	216	233.5	251.5	278.4	287.5	359.2	368.2	377.2	592.7	790.3	808.3	952.0	1077.7	1113.6		
32	288	311.4	335.4	371.3	383.4	479.0	490.9	502.9	790.3	1053.7	1077.7	1269.3	1436.9	1484.8		
40	359	389.2	419.2	464.0	479.2	598.7	613.7	628.6	987.9	1317.2	1347.1	1586.6	1796.2	1856.1		
48	431	467.0	503.0	556.8	575.0	718.5	736.4	754.4	1185.5	1580.6	1616.5	1903.9	2155.4	2227.2		
56	503	544.7	586.9	649.7	670.9	838.2	859.2	880.1	1383.0	1844.0	1886.0	2221.2	2514.6	2598.4		
64	575	622.7	670.7	742.4	766.7	958.0	981.9	1005.8	1580.6	2107.5	2155.4	2538.6	2873.9	2969.7		
Grams of Fertilizer Carrier in 1 Liter	ppm															
0.1	12	13	14	16	16	20	20.5	21	33	44	45	53	60	62		
0.2	24	26	28	31	3	40	41.0	42	66	88	90	106	120	124		
0.3	36	39	42	47	48	60	61.5	63	99	132	135	159	180	186		
0.4	48	52	56	62	64	80	82.0	84	132	176	180	212	240	248		
0.6	72	78	84	93	96	120	123.0	126	198	264	270	318	360	372		
0.8	96	104	112	124	128	160	164.0	168	264	352	360	424	480	496		
1.0	120	130	140	155	160	200	205.0	210	330	440	450	530	600	620		
1.5	180	195	210	233	240	300	307.0	315	495	660	675	795	900	930		
2.0	240	260	280	310	320	400	410.0	420	660	880	900	1060	1200	1240		
2.5	300	325	350	388	400	500	512.5	525	825	1100	1125	1325	1500	1550		
3.0	360	390	420	465	480	600	615.0	630	990	1320	1350	1590	1800	1860		
3.5	420	455	490	543	560	700	717.5	735	1155	1540	1575	1855	2100	2170		
4.0	480	520	560	620	640	800	820.0	840	1320	1760	1800	2120	2400	2480		

¹From Nelson, P.V. 1998. Greenhouse Operations and Management, 5th ed. Published by Prentice Hall, Inc. Reprinted with permission.

Table 14. Conversion factors among electrical conductivity (EC) units¹

From	To	Multiply by:
mmhos/cm or mS/cm or dS/cm	mhos x 10 ⁻⁵ /cm	100
mhos x 10 ⁻⁵ /cm	mmhos/cm or mS/cm or dS/cm	0.01
mmhos/cm or mS/cm or dS/cm	μmhos or mhos x 10 ⁻⁶	1000
μmhos or mhos x 10 ⁻⁶	mmhos/cm or mS/cm or dS/cm	0.001
mmhos/cm or mS/cm or dS/cm	ppm	670 ²
ppm	mmhos/cm or mS/cm or dS/cm	0.0014925 ²
mhos x 10 ⁻⁵ /cm	ppm	6.70 ²
ppm	mhos x 10 ⁻⁵ /cm	0.14925 ²
μmhos or mhos x 10 ⁻⁶	ppm	0.670 ²
ppm	μmhos or mhos x 10 ⁻⁶	1.4925 ²

¹ Adapted from T.J. Cavins, et al., 2000.

² Some labs report EC in terms of ppm or convert EC to ppm. Although 670 is the basis used in this example, the conversion factor can vary between 640 and 700. This conversion factor is an average due to the variability in the type of fertilizer salts that contribute to the substrate EC in each sample, and it should be considered a broad approximation. Expressing EC in terms of mS/cm or mhos/cm is the preferred method.

Table 15 is designed to help growers decide which acid to add and in what quantities to acidify their irrigation water.

Table 15. Various acids to add to irrigation water for acidification¹							
Note: The table is an example from software called <i>Alkalinity Calculator</i> , available at www.ces.ncsu.edu/depts/hort/floriculture/software/alk.html It is an acidification analysis done on a water sample with a starting pH of 8.0 and alkalinity of 200 ppm CaCO ₃ acidified to an end point pH of 5.8. For your specific water sample, download the <i>Alkalinity Calculator</i> and follow the directions listed on the website. You will need to obtain a water report on your irrigation water prior to running the software. You will need to know the water pH and alkalinity of your sample and have an idea about what end-point pH you want to obtain after acidification. The software also gives you information about the cost of the acidification treatment.							
Alternative Acids to Add to Irrigation Water							
Amounts	Acids:	Phosphoric Acid (75%)	Phosphoric Acid (85%)	Sulfuric Acid (35%)	Sulfuric Acid (93%)	Nitric Acid (61.4%)	Nitric Acid (67%)
For Small Volumes							
ml per liter		0.253	0.207	0.348	0.087	0.234	0.209
fl oz per gallon		0.032	0.027	0.044	0.011	0.030	0.027
ml per gallon		0.956	0.785	1.316	0.330	0.884	0.793
For a 1:100 Injector							
fl oz per gallon (conc.)		3.23	2.65	4.45	1.12	2.99	2.68
ml per gallon (conc.)		95.63	78.47	131.59	32.98	88.40	79.28
For a 1:128 Injector							
fl oz per gallon (conc.)		4.14	3.40	5.70	1.43	3.83	3.43
ml per gallon (conc.)		122.41	100.44	168.44	42.22	113.16	101.48
For a 1:200 Injector							
fl oz per gallon (conc.)		6.47	5.31	8.90	2.23	5.98	5.36
ml per gallon (conc.)		191.27	156.94	263.19	65.97	176.81	158.56
Nutrients Added by Each Type of Acid							
Nutrients Added:		Phosphorus	Phosphorus	Sulfur	Sulfur	Nitrogen	Nitrogen
Amount Added (ppm):		94.6	94.6	50.3	50.3	43.7	43.7
<i>Use the information above for modifying your fertility program.</i>							

Tables 16 through 20 help determine which fertilizers to use based on chemical analysis, reaction in substrate, longevity in substrate (slow release fertilizers), and incorporation rates for some popular slow release fertilizers. Tables 17 and 18 are specifically designed to provide detailed information on fertilizer calculations, which also aid determine correct application rates.

Table 16. Amounts of nutrient sources to combine in making various fertilizer formulas¹

Nutrient Sources ²												
Fertilizer Name	Analysis	33-0-0	13-0-44	15.5-0-0	16.0.0	21-0-0	45-0-0	0-0-60	12-62-0	21-53-0	% of N as NH ₄ + Urea	Reaction in Substrate ⁴
Ammonium nitrate	33-0-0	X									50	A
Potassium nitrate	13-0-44		X								0	N
Calcium nitrate	15.5-0-0			X							6	B
Sodium nitrate	16-0-0				X						0	B
Ammonium sulfate	21-0-0					X					100	A
Urea	45-0-0						X				100	SA
Potassium chloride	0-0-60							X			-	N
Monoammonium phosphate	12-62-0								X		100	A
Diammonium phosphate ³	21-53-0									X	100	SA
Magnesium nitrate	10-0-0										0	B
Chrysanthemum green	18-0-22	1	2			1					47	A
General Summer	20-10-24	1					1	2		1	83	A
General low phosphate	21-4-20	7						4		1	55	A
General summer	21-17-20	1					2	3		3	90	A
General	17-6-27	4						4		1	57	A
UConn Mix	19-5-24		6	2			2		1		49	N
Editor's favorite	20-5-30		13				4			2	57	SA
20-20-20 substitute	20-20-22		4				1			3	67	SA
Starter and pink hydrangea	12-41-15		1						2		65	SA
Starter and pink hydrangea	17-35-16						1	4		10	100	SA
N-K only	16-0-24	2			1			2			40	SA
N-K only	20-0-30	1	2								28	SA
Blue hydrangea	13-0-22					2		1			100	VA
Blue hydrangea	15-0-15					3		1			100	VA
Acid	21-9-9	3	1			7		1		2	79	VA
Spring carnation	10-0-17				5			2			0	B
Winter nitrate	15-0-15		1	2							5	B
Winter potash	15-0-22		1	1							4	B
Lily substitute	16-4-12	1	4	6						1	22	N
High K	15-10-30		7	1						2	28	N

¹ From Nelson, P.V. 1998. Greenhouse Operations and Management, 5th ed. Published by Prentice Hall, Inc. Reprinted with permission.

² For names of nutrient sources, see the first nine entries in the Name column.

³ Diammonium phosphate may be pelletized and coated. To dissolve, use very hot water and stir vigorously. Sediment formation should not cause concern. Use crystalline potassium chloride if possible.

⁴ B = basic; N = neutral; SA = slightly acid; A = acid; VA = very acid.

NOTE: For example, an 18-0-22 formula fertilizer can be formulated by blending together 1 lb of ammonium nitrate plus 2 lbs of potassium nitrate plus 1 lb of ammonium sulfate. This formulation is determined by locating the 18-0-22 formula in the Analysis column. Then the three numbers 1, 2 and 1 are located in the row after this formula. Each of the three numbers is traced to the X above it and then to the nutrient source to the left of the X.

Table 17. Formulas for additional fertilizer calculations		
Compound	Formula	Formula Weight
Ammonium Nitrate	NH ₄ NO ₃	80.8
Ammonium Sulfate	(NH ₄) ₂ SO ₄	132.0
Calcium Nitrate	Ca(NO ₃) ₂	164.0
Potassium Nitrate	KNO ₃	101.1
Potassium Chloride	KCl	74.6
Potassium Sulfate	K ₂ SO ₄	174.2
Urea	CO(NH ₂) ₂	60.0
Element	Symbol	Atomic Weight
Calcium	Ca	40.1
Carbon	C	12.0
Chlorine	Cl	35.5
Hydrogen	H	1.0
Nitrogen	N	14.0
Oxygen	O	16.0
Phosphorus	P	31.0
Potassium	K	39.1

Using Chemicals

1) mg of fertilizer source/liter of water = $\frac{\text{(ppm)(formula weight)}}{\text{(atomic weight of element)(number of units in formula of fertilizer source)}}$

2) ppm = $\frac{\text{(mg of fertilizer/liter of water)(atomic weight of element)(number of units of element in formula of fertilizer source)}}{\text{(formula weight of fertilizer source)}}$

3) to convert mg/l to lbs/100 gal, multiply mg by 0.0008344

4) to convert lbs/100 gal to mg/l, divide lbs by 0.0008344

EXAMPLE: How many pounds of potassium sulfate (K₂SO₄) need to be dissolved in 100 gallons of water to make 100 ppm K solution.

Get the formula weight of potassium sulfate (K₂SO₄) and the atomic weight of potassium from Table 14 (page 15).

Then:

1) mg of K₂SO₄ / liter of water = $(100 \times 174.2) \div (39.1 \times 2) = 222.8 \text{ mg/L}$

2) $222.8 \text{ mg/L} \times 0.00083440 = 0.186 \text{ lbs potassium sulfate/100 gal}$

Using Premixed Fertilizers

- 1) mg of mixed fertilizer/liter of water = $\frac{(\text{ppm of N desired}) (100)}{(\% \text{ N in fertilizer})}$
- 2) ppm of P = $\frac{(\text{mg of mixed fertilizer/liter of water}) (\% \text{ P}_2\text{O}_5) (0.4366)}{100}$
- 3) ppm of K = $\frac{(\text{mg of mixed fertilizer/liter of water}) (\% \text{ K}_2\text{O}) (0.8301)}{100}$
- 4) mg of mixed fertilizer/liter of water = $\frac{(\text{ppm of P desired}) (100)}{(\% \text{ P}_2\text{O}_5) (0.4366)}$
- 5) mg of mixed fertilizer/liter of water = $\frac{(\text{ppm of K desired}) (100)}{(\% \text{ K}_2\text{O}) (0.8301)}$
- 6) mg of mixed fertilizer/liter of water = $\frac{(\text{mg of mixed fertilizer/liter of water}) (\% \text{ N})}{10}$

Table 18. Miscellaneous conversions used in fertilizer calculations

1 millimeter or cubic centimeter of water weighs 1 gram		
1 liter of water weighs 1 kilogram		
1 gallon of water weighs 8.34 pounds		
1 part per million (ppm)	= 0.0001 percent	
1 part per million	= 1 milligram/liter	
1 part per million	= 0.013 ounces in 100 gallons of water	
1 percent	= 10,000 ppm	
1 percent	= 10 grams per liter	
1 percent	= 10,000 grams per kilogram	
1 percent	= 1.33 ounces by weight per gallon of water	
1 percent	= 8.34 pounds per 100 gallons of water	
0.1 percent	= 1000 ppm	= 1000 milligrams per liter
0.01 percent	= 100 ppm	= 100 milligrams per liter
0.001 percent	= 100 ppm	= 10 milligrams per liter
0.0001 percent	= 100 ppm	= 1 milligram per liter

Approximate weight-volume measurements for making small volumes of water soluble fertilizers

1 cup = 8 oz or ½ lbs of fertilizer	1 tablespoon = 0.5 oz of fertilizer
2 cups = 1 lb of fertilizer	2 tablespoons = 1 oz of fertilizer

Useful conversions

1 ton/acre = 20.8 grams/square foot	100 lbs/acre = 0.2296 lbs/100 square feet
1 ton/acre = 1 lb/21.78 square feet	grams/square foot x 96 = lbs/acre
1 gram/square foot = 96 lbs/acre	lbs/square foot x 43,560 = lbs/acre
1 lb/acre = 0.0104 g/square foot	100 square feet = 1/435.6 or 0.002296 acres
100 lbs/acre = 0.2296 lbs/100 square feet	

Weight conversions from lbs/acre to weight/100 square feet

<u>lbs/acre</u>	<u>amount applied/100 square feet</u>	<u>lbs/acre</u>	<u>amount applied/100 square feet</u>
100	3.7 oz	700	1 lb 10 oz
200	7.4 oz	800	1 lb 13 oz
300	11.1 oz	900	2 lb 1 oz
400	14.8 oz	1000	2 lb 5 oz
500	1 lb 2½ oz	2000	4 lb 10 oz
600	1 lb 6 oz		

Percent to Ratio Conversion

2.0% = 1:50	0.6% = 1:167
1.5% = 1:67	0.5% = 1:200
1.0% = 1:100	0.4% = 1:250
0.9% = 1:111	0.3% = 1:333
0.8% = 1:128	0.2% = 1:500
0.7% = 1:143	

Table 19. Osmocote® controlled-release fertilizers and their release periods¹

Analysis	Longevity² (months)	Product Name
14-14-14	3-4	Osmocote® ³
19-6-12	3-4	Osmocote® ³
13-13-13	8-9	Osmocote® ³
18-6-12	8-9	Osmocote® ³ Fast Start
18-6-12	8-9	Osmocote® ³
17-7-12	12-14	Osmocote® ³
15-9-12	3-4	Osmocote® Plus
15-9-12	5-6	Osmocote® Plus
15-9-12	8-9	Osmocote® Plus
15-9-12	12-14	Osmocote® Plus
15-9-12	14-16	Osmocote® Plus
16-8-12	8-9	Osmocote® Plus Minors Tablets
19-5-8 + Minors	8-9	Osmocote® Pro with Poly-S
19-5-9 + Minors	12-14	Osmocote® Pro with Poly-S
20-5-8 + Minors	8-9	Osmocote® Pro with Poly-S
24-4-8	8-9	Osmocote® Pro with Resin Coated Urea
24-4-7	12-14	Osmocote® Pro with Resin Coated Urea
24-4-6	14-16	Osmocote® Pro with Resin Coated Urea
21-4-7w/Mg & Fe	8-9	Osmocote® Pro with Resin Coated Urea
21-3-7w/Mg & Fe	12-14	Osmocote® Pro with Resin Coated Urea
22-4-9 + Minors	5-6	Osmocote® Pro with Resin Coated Urea
22-4-8 + Minors	8-9	Osmocote® Pro with Resin Coated Urea
22-4-7 + Minors	12-14	Osmocote® Pro with Resin Coated Urea
22-4-6 + Minors	14-16	Osmocote® Pro with Resin Coated Urea
20-4-9	8-9	Osmocote® Pro with Methylene Urea and Ureaform
20-4-8	12-14	Osmocote® Pro with Methylene Urea and Ureaform
23-4-8 + Minors	14-16	Osmocote® Pro + ScottKote™
19-7-10 + Fe	3-4	Osmocote® Pro with Uncoated NPK and Iron
18-7-10 + Fe	8-9	Osmocote® Pro with Uncoated NPK and Iron
17-7-10 + Fe	12-14	Osmocote® Pro with Uncoated NPK and Iron
13-10-13	5-6	Osmocote® Pro with IBDU and Minors
15-10-10	8-9	Osmocote® Pro with IBDU and Minors
18-8-8	8-9	Osmocote® Pro with IBDU and Minors
20-4-8	8-9	Osmocote® Pro with IBDU and Minors
18-5-9	12-14	Osmocote® Pro with IBDU and Minors
17-6-12 + Minors	3-4	Sierra® Tablets
17-6-10 + Minors	8-9	Sierra® Tablets

¹ From the Scotts Company and Subsidiaries, Marysville, OH 43041.² At an average root substrate temperature of 70 degrees F (21 degrees C).³ Six trace elements plus magnesium.

Table 20. Rates in lb/yd³ (kg/m³) for incorporation of three of the most popular formulations of Nutricote into greenhouse root substrates

Release Type (days ³)	Sensitive Crops		Medium-Feeding Crops		Heavy-Feeding Crops	
			13-13-13			
70	2.5	(1.5)	5	(3.0)	8.5	(5.1)
100	3.5	(2.1)				
140	5	(3.0)	9	(5.4)	13	(7.8)
180	6	(3.6)	11	(6.6)	17	(10.2)
270	8	(4.8)	13	(7.8)	21	(12.6)
360	11	(6.6)	15	(9.0)	25	(15.0)
			14-14-14			
40	2	(1.2)	5	(3.0)	8	(4.7)
70	4	(2.4)	9	(5.4)	14	(8.3)
100	5	(3.0)	12	(7.1)	20	(11.9)
140	8	(4.7)	15	(9.0)	22	(13.0)
180	12	(7.1)	20	(11.9)	28	(16.6)
270	16	(9.5)	24	(14.2)	32	(19.0)
360	20	(11.9)	28	(16.6)	36	(21.3)
			18-6-8			
70	2	(1.2)	4.5	(2.7)	7.5	(4.5)
100	3	(1.8)	6.5	(3.9)	11	(6.6)
140	4.5	(2.7)	8	(4.8)	12	(7.2)
180	6	(3.6)	11	(6.6)	14	(8.4)
270	8	(4.8)	13	(7.8)	16	(12.0)
360	11	(6.6)	15	(9.0)	18	(13.8)
¹ From Nelson, P.V. 1998. Greenhouse Operations and Management, 5 th ed. Published by Prentice Hall, Inc. Reprinted with permission.						

Tables 21 through 22 are designed to assist growers in correcting the pH of the growing substrate.

Table 21. Materials and rates necessary to lower the pH level of greenhouse potting substrate 0.5 to 1.0 units ¹

Material	Pounds to incorporate in lbs/yd ³	Pounds to dissolve in 100 gal of water ²	Rate of change in pH
Aluminum sulfate	1.5	6.0	Rapid
Iron sulfate	1.5	6.0	Moderate
Finely-ground elemental sulfur	0.75	-	Slow

¹ Adapted from Bailey, D.A. 1996.

² Apply this drench as a normal watering, about 1 quart per square foot or 8 fluid ounces per 6-inch pot.

Table 22. Approximate amount of materials required to change pH of peat-based potting mixes¹		
Pounds per cubic yard to change acidity to pH 5.7 for:		
Beginning pH	50% Peat 50% Bark	100% Peat
7.5 ²	2.0	3.4
7.0	1.5	2.5
6.5	1.0	2.0
5.0³	2.5	3.5
4.5	5.6	7.4
4.0	7.9	11.5*
3.5	10.5*	15.58

¹ Adapted from Conover, C.A., and R.T. Poole. 1984.
² Add sulfur or acidifying mixture to lower pH to 5.7.
³ **Add dolomitic lime or equivalent amount of calcium to raise pH to 5.7.**
* Addition of more than 10 pounds of dolomitic per yd³ can cause micro-nutrient deficiencies.

Table 23 will help when applying various plant growth regulators.

Table 23. Dilution/conversion chart for various plant growth regulators¹						
A-REST (0.0264% active ingredient)						
Spray	Spray Solution (ppm)	Fluid Ounces per Gallon of Final Solution		Milliliters per Gallon of Final Solution		Milliliters per Liter of Final Solution
	1	48		14.34		3.79
	3	1.45		43.02		11.36
	10	4.85		143.39		37.88
	25	12.12		358.47		94.70
	50	24.24		716.93		189.39
	75	36.36		1075.40		284.09
	100	48.48		1433.87		378.79
Drench	Dose (Milligrams per 6-in Pot)	Drench Volume per 6-in Pot* (Fluid Ounces)	ppm solution	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	0.125	4	1.06	0.51	15.15	4.0
	0.25	4	2.11	1.02	30.30	8.01
	0.50	4	4.23	2.05	60.61	16.01
	0.75	4	6.34	3.07	90.91	24.02
	1.00	4	8.45	4.10	121.21	32.02

* 2 fl oz/4-in pot; 3 fl oz/5-in pot; 10 fl oz/8-in pot

Table 23. (Continued)						
CYCOCEL (11.8% active ingredient)						
Spray	Spray Solution (ppm)	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution		
	1,000	1.08	32.08	8.47		
	1,500*	1.63	48.12	12.71		
	2,000	2.17	64.16	16.95		
	2,500	2.71	80.20	21.19		
	3,000**	3.25	96.24	25.42		
	5,000	5.42	160.40	42.37		
* Commonly referred to as 1:80. ** Commonly referred to as 1:40.						
Drench	Dose (Milligrams per 6-in Pot)	Drench Volume per 6-in Pot* (Fluid Ounces)	ppm	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	355	6	2,000	2.17	64.18	16.95
	532	6	3,000**	3.25	96.18	25.42
	710	6	4,000	4.34	128.36	33.90
* 2 fl oz/2¼- to 3-in pot; 3 fl oz/4-in pot; 4 fl oz/5-in pot; 8 fl oz/8-in pot. ** Commonly referred to as 1:40.						
B-NINE WSG (85% active ingredient)						
Spray	Spray Solution (ppm)	Ounces per Gallon of Final Solution	Grams per Gallon of Final Solution	Grams per Liter of Final Solution		
	1,000	0.16	4.45	1.18		
	2,500	0.39	11.13	2.94		
	5,000	0.79	22.26	5.88		
	7,500	1.18	33.40	8.82		
BONZI (0.4% active ingredient)						
Spray	Spray Solution (ppm)	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution		
	1	0.032	0.95	0.25		
	3	0.096	2.84	0.75		
	5	0.160	4.73	1.25		
	10	0.320	9.46	2.50		
	15	0.480	14.20	3.75		
	25	0.800	23.66	6.25		
	45	1.440	42.59	11.25		
	60	1.920	56.78	15.00		
	90	2.880	85.17	22.50		

Table 23. (Continued)

BONZI (cont.)						
Drench	Dose (Milligrams per 6-in Pot)	Drench Volume per 6-in Pot* (Fluid Ounces)	ppm	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	0.1	4	0.85	0.03	0.8	0.21
	0.2	4	1.69	0.05	1.6	0.42
	0.5	4	4.23	0.14	4.0	1.06
	1.0	4	8.45	0.27	8.0	2.11
	1.9	4	16.06	0.51	15.2	4.02
* 2 fl oz/4-in pot; 3 fl oz/5-in pot; 10 fl oz/8-in pot.						
SUMAGIC (0.055% active ingredient)						
Spray	Spray Solution (ppm)	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution		
	1	0.26	7.57	2		
	3	0.77	22.71	6		
	5	1.28	37.85	10		
	10	2.56	75.71	20		
	15	3.84	113.56	30		
	25	6.40	189.27	50		
	30	7.68	227.12	60		
	50	12.80	378.54	100		
Drench	Dose (Milligrams per 6-in Pot)	Drench Volume per 6-in Pot* (Fluid Ounces)	ppm	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	0.02	4	0.17	0.04	1.28	0.34
	0.03	4	0.25	0.06	1.92	0.51
	0.04	4	0.34	0.09	2.56	0.68
	0.05	4	0.42	0.11	3.20	0.85
	0.06	4	0.51	0.13	3.84	1.01
	0.09	4	0.76	0.19	5.76	1.52
	0.12	4	1.01	0.26	7.68	2.03
	0.20	4	1.69	0.43	12.80	3.38
* 2 fl oz/4-in pot; 3 fl oz/5-in pot; 10 fl oz/8-in pot.						

Table 23. (Cont.)				
FLOREL (3.9% active ingredient)				
Spray	Spray Solution (ppm)	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	300	0.97	28.72	7.59
	325	1.05	331.11	8.22
	500	1.62	47.86	12.64
	750	2.43	28.89	18.97
	975	3.16	93.34	24.66
	1,000	3.24	95.73	25.29
PRO-GIBB (4% active ingredient)				
Spray	Spray Solution (ppm)	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	2.5	0.008	0.24	0.06
	5.0	0.016	0.47	0.13
	100.0	0.320	9.46	2.50
	250.0	0.800	23.66	6.25
	300.0	0.960	28.39	7.50
	500.0	1.600	47.31	12.50
FASCINATION				
Spray	ppm BA/GA	Fluid Ounces per Gallon of Final Solution	Milliliters per Gallon of Final Solution	Milliliters per Liter of Final Solution
	1/1	0.007	0.2	0.06
	5/5	0.04	1.1	0.3
	10/10	0.07	2.1	0.6
	25/25	0.18	5.3	1.4
	50/50	0.36	10.5	2.8
	75/75	0.53	15.8	4.2
	100/100	0.71	21.0	5.5

¹ Adapted from Hammer, P.A. 1992.

Tables 24 through 25 are designed to assist growers who desire to prepare their own substrate mix.

Table 24. Pre-plant fertilizer sources and rates of application ^{1,2}		
	Rate per cubic yard (per m³)	
<u>Nutrient source</u>	<u>Soil-based media</u>	<u>Soilless media</u>
To provide calcium and magnesium		
When a pH rise is desired:		
Dolomitic limestone	0-10 lbs (0.6 kg)	10 lbs (6 kg)
When no pH shift is desired:		
Gypsum for calcium	0-5 lbs (0.3 kg)	0-5 lbs (0.3 kg)
Epsom salt for magnesium	0-1 lbs (0-0.6 kg)	0-1 lb (0-0.6 kg)
To provide phosphorus³		
Superphosphate (0-45-0), or	1.5 lb (0.9 kg)	2.25 lbs (1.3 k.)
To provide sulfur		
Gypsum (calcium sulfate)	1.5 lbs (0.9 kg)	1.5 lbs (0.9 kg)
To provide micronutrients: iron, manganese, zinc, copper, boron, molybdenum		
Esmigran	3-6 lbs (1.8-3.6 kg)	3-6 lbs (1.8-3.6 kg)
Micromax	1-1.5 lbs (0.6-0.9 kg)	1-1.5 lb (0.6-0.9 kg)
Promax	1-1.5 lbs (0.6-0.9 kg)	1-1.5 lb (0.6-0.9 kg)
F-555HF	3 oz (112 g)	3 oz (112 g)
F-111HR	1 lb (0.6 kg)	1 lb (0.6 kg)
To provide nitrogen and potassium (optional)		
Calcium nitrate, or	1 lb (0.6 kg)	1 lb (0.6 kg)
Potassium nitrate	1 lb (0.6 kg)	1 lb (0.6 kg)
¹ From Nelson, P.V. 1998. <i>Greenhouse Operations and Management</i> , 5 th ed. Published by Prentice Hall, Inc. Reprinted with permission. ² Rates in this table are for crops other than seedlings. Only limestone is necessary in seedling substrates. Optional nutrient sources for seedling substrate include up to 1 lb (0.6 kg) each of superphosphate, gypsum, and calcium nitrate; no potassium nitrate; and the low end of the rate range for micronutrients. ³ These are maximum rates designed to supply phosphorus for three to four months if pH is maintained in a desirable range for the crop and the leaching percentage is at or below 20 percent.		

Table 25. Cornell Peat-Lite Mix A for seedlings, bedding plants and potted plants*

Materials Used	Amount per Cubic Yard¹	Amount per Bushel
Spagnum peat moss	0.5 cubic yard (13 bushels)	0.5 bushel
Horticultural grade vermiculite #2 size for seed germination #2 or 3 for transplanting	0.5 cubic yard (13 bushels)	0.5 bushel
Superphosphate	1 to 2 pounds	20.5 to 41.0 grams (1 to 2 tablespoons)
or Treble superphosphate ²	0.5 to 1 pound	10.3 to 20.5 grams (0.6 to 1.2 tablespoons)
Ground dolomitic limestone ²	5 to 10 pounds	103 to 206 grams (5.2 to 10.4 tablespoons)
Gypsum ²	2.0 pounds	41 grams (2.5 tablespoons)
Calcium nitrate	0.5 pound	10 grams (1.2 tablespoons)
Potassium nitrate	0.5 pound	10 grams (1.2 tablespoons)
Trace element material (Use Only One)		
Esmigran, or	4.0 pounds	81 grams (4.0 tablespoons)
Micromax	1.5 pounds	31 grams (1.7 tablespoons)
Wetting agent (Use Only One³)		
Aqua-Gro 2000 granular or	1.0 pound	----
Aqua-Gro 2000-L liquid ⁴	3-5 fluid ounces	0.5 level teaspoon
PsiMatric liquid ⁵	2-4 fluid ounces	0.5 level teaspoon

¹ A cubic yard equals 27 cubic feet or approximately 22 bushels. A 15 to 20 percent shrink occurs in mixing. Therefore, an additional 5 cubic feet or 4 bushels are used to obtain a full cubic yard.

² If treble superphosphate is used, gypsum is added to supply sulphur. If only 5 pounds of limestone are used for pH control, then add the gypsum that supplied calcium and sulphur.

³ The granular Aqua-Grow is preferred.

⁴ 3 ounces/yard for germination/seedlings, 5 ounces/yard for bedding plants and pot plants.

⁵ 2 ounces/yard for germination/seedlings, 4 ounces/yard for bedding plants and pot plants.

* Adapted from Fonteno. W.C. 1994

Table 26. Number of pots and flats that can be filled from 1 ft³ of soil mix					
Pot Size (in)	Approximate Dimension Top x Depth x Bottom (in)	Number of Pots/ft³	Type	Approximate Dimension Top x Depth x Bottom (in)	Units/ft³
Standard Round Pots			Flats		
2¼	2¼ x 2 ¹ / ₁₆ x 1¾	256	Germination tray	11½ x 21¼ x 1½	7.0
2½	2¾ x 2¼ x 2	208	20-row Seeding tray	11½ x 21¼ x 1½	11.0
			Standard Cell-Packs		
3	3 x 2 ¹³ / ₁₆ x 2¼	120			
3½	3¾ x 3 ³ / ₁₀ x 2¾	80	8-4 cell packs per tray		5.4
4	4 x 3⅞ x 2¾	48	8-6 cell packs per tray		5.9
4½	4¾ x 4¾ x 3	40	10-4 cell packs per tray		6.2
5	5 x 3½ x 4	28	10-6 cell packs per tray		6.7
5½	5½ x 5⅝ x 3 ¹³ / ₁₆	20	12-4 cell packs per tray		6.0
6	6 x 5¾ x 4 ¹ / ₁₆	16	12-6 cell packs per tray		7.0
7	6¾ x 7¾ x 4 ¹¹ / ₁₆	10	Standard size 11¼ x 21¼ x 2½		
8	7⅝ x 7¾ x 5⅝	6	Plug Flats		
10	9⅞ x 9¾ x 6⅞	3	50 sq. flat	1⅞ x 2¼	6.3
Azalea Pots			72 rd. flat	1 ⁷ / ₁₆ x 1¾	12.8
4	4 x 2 ³ / ₁₆ x 3	56	72 sq. flat	1 ⁹ / ₁₆ x 2 ³ / ₁₆	7.3
4½	4½ x 3⅞ x 3¼	44	98 sq. flat	1 ⁵ / ₁₆ x 2	7.9
5	5 x 3 ¹³ / ₁₆ x 3 ⁹ / ₁₆	28	128 sq. flat	1 ³ / ₁₆ x 1 ¹³ / ₁₆	9.0
5½	5½ x 4¼ x 3⅞	24	162 sq. flat	1 x 1½	9.2
6	6 x 4⅝ x 4¼	18	200 sq. flat	⁵ / ₁₆ x 1½	10.7
6½	6½ x 5 x 4 ⁹ / ₁₆	16	273 sq. flat	³ / ₄ x 1⅞	18.6
7	6⅞ x 5⅝ x 5 ¹ / ₁₆	12	288 rd. flat	¹³ / ₁₆ x 1	19.1
7½	7⅞ x 5 ¹¹ / ₁₆ x 5⅝	10	288 sq. flat	¹³ / ₁₆ x 1¼	15.0
8	8⅛ x 5⅞ x 6	7	392 sq. flat	⁵ / ₈ x 7/8	23.1
8½	8⅛ x 6¼ x 6¼	6	406 sq. flat	⁵ / ₈ x 7/8	22.2
10	9⅞ x 7⅞ x 7¼	4	512 sq. flat	⁹ / ₁₆ x ³ / ₄	24.7
Square Pots			Nursery Containers (plastic)		
2¼	¹⁵ / ₁₆ x 1⅞ x 1½	357	1 gal	6½ x 6½	10.0
2½	2¾ x 1 ¹⁵ / ₁₆ x 1⅞	224	2 gal	8½ x 8½	4.5
3	2¾ x 2¼ x 2⅞		3 gal	10¼ x 9 ⁵ / ₈	3.3
3½	3¼ x 2¾ x 2½		Saucerless		
4	3⅝ x 3⅞ x 2⅞		8		9.7
4½	4⅞ x 3⅝ x 3¼		0		5.3
Bulb Pans			2		3.1
6	6 ¹ / ₁₆ x 3 ⁹ / ₁₆ x 4 ⁹ / ₁₆	24	Hanging Baskets		
7	7 ¹ / ₁₆ x 3 ¹³ / ₁₆ x 5 ⁹ / ₁₆	16	6	6 x 4½ x 3¼	29
10	10¼ x 4 ¹⁵ / ₁₆ x 8⅞	5	8	7 ½ x 4⅞ x 4 ¹ / ₁₆	11
12	12⅞ x 6 x 9¾	3	10	10 x 6⅞ x 4	5

Table 26. (Continued)

Geranium Pots			NOTES: Sources – Eason Horticultural Resources, Inc., Crestview Hills, KY, and Hummert's Helpful Hints, 1999-2000 edition. These figures have to be treated as approximations. Actual pot dimensions will vary from one manufacturer to another. Based on volume of pots when filled level to rim with loose, unpacked soil mix.
3½	3¼ x 3 x 2¾	96	
4	3 ¹⁵ / ₁₆ x 3 ⁷ / ₁₆ x 2 ⁷ / ₈	56	
4¼	4¼ x 3 ⁹ / ₁₆ x 3 ¹ / ₈	50	
4½	4¾ x 3 ⁷ / ₈ x 3	44	

Table 27. Number of nursery containers that can be filled from 1 yd³ of soil mix¹

Size	# / per yd ³
Trade 1	300
Full 1	200
2	140
3	80
5	50
7	35
10	20
15	14
25	8
45	4

¹ Source: Ruter, J. (pers. communication)

Soil Mix Volumes

1 bushel = 1 ¼ cu. ft.

1 cu. yard = 27 cu. ft.

1 cu. yard = 22 bushels

100 sq. ft. of bench area (at 6 in. soil depth) = 50 cu. ft. or 40 bushels of soil mix.

Table 28. Coverage estimates for perlite, peat, topsoil and straw

Thickness	1 Bale				
	4 cu ft Perlite	6 cu ft Canadian Peat (compressed) (12 cu ft loose)	1 cu yd* Peat Mulches, Topsoil, etc.	Pinestraw	Wheatstraw
2 in	28 sq ft	72 sq ft	162 sq ft	90 sq ft	180 sq ft
1 in	48 sq ft	144 sq ft	324 sq ft	180 sq ft	360 sq ft
½ in	96 sq ft	288 sq ft	648 sq ft	360 sq ft	720 sq ft
¼ in	192 sq ft	576 sq ft	1296 sq ft	720 sq ft	1440 sq ft

* 1 cubic yard (yd³) = 27 cubic feet (ft³)

Tables 29 through 30 help determine correct spacing and number of plants at each spacing for both greenhouse and field situations.

Table 29. Plant spacing guide (greenhouse)			
Spacing	Plants/sq ft	Plants/A of production area	Plants/A of ground covered*
8" x 9"	2.0	87,000	58,000
8" x 8"	2.3	98,000	65,000
8" x 7"	2.6	114,000	76,000
8" x 6"	3.0	30,000	87,000
6" x 7"	3.4	147,000	98,000
6" x 6"	4.0	174,000	116,000
6" x 5"	4.8	208,000	139,000
5" x 5"	5.8	252,000	168,000
5" x 4"	7.2	313,000	209,000
5" x 3"	9.6	418,000	279,000
4" x 3"	12.0	522,000	348,000

* Assuming 1/3 of production area devoted to aisles, etc.

Table 30. Plant spacing guide (field/orchard) ¹												
Spacing Between Plants Within the Row												
Feet	6	8	10	12	14	16	18	20	22	24	26	
Spacing Between Rows of Plants	4	1815	1361	1089	907	777	680	605	544	495	453	418
	6	1218	907	726	605	518	453	403	363	330	302	279
	8	907	680	544	453	388	339	302	272	247	226	209
	10	726	544	435	362	311	272	242	218	207	181	167
	12	605	453	362	302	259	226	201	181	165	151	139
	14	518	388	311	259	222	194	172	155	141	129	119
	16	453	339	272	226	194	169	151	136	123	113	104
	18	403	302	242	201	172	151	134	121	110	100	93
	20	363	272	218	181	155	136	121	108	99	90	83
	22	330	247	207	165	141	123	110	99	90	82	76
	24	302	226	181	151	129	113	100	90	82	75	69
	26	279	209	167	139	119	104	93	83	76	69	64












Number of Plants per Acre

¹ To determine the number of plants per acre for spacing not given in the table, multiply the distance in the row by the distance between rows and divide that number into 43,560.

Landscape

Tables 31 through 36 are designed to aid landscape professionals and homeowners in determining number of plants at various spacing, cubic yards of soil needed at various depths and areas, areas covered in square feet at various depths, time needed to trim lawns, and the volume of water delivered as affected by the size of irrigation hose.

Table 31. Estimated number of plants to fill 100 ft² of bed area for square (row) and triangular (equilateral) planting patterns using 4- to 14-inch spacing distances¹

Planting Pattern	Inches between rows of plants (Y)	Inches between plants (X) within rows	Estimated number of plants per 100 ft ²
Square			
For square spacing, the distance between plants within rows (x) equals the distance between rows (Y)		4	900
		6	400
		8	225
		10	144
		12	100
	14	14	74
Triangular			
For triangular spacing, the distance between plants within rows and between rows both equal X, and the distance between rows (Y) equals 0.886 X.		3.46	1039
		5.20	462
		6.93	260
		8.66	166
		10.39	115
		12.12	85

¹ Adopted from Bailey, D.A., and M.A. Powell. 1999.

Table 32. Volume of water delivered – by size of hose

Water Pressure (lbs)	<i>(Gallons per Minute in Bold Face)</i>						
	Hose Diameter						
	3/8"	13/32"	7/16"	1/2"	9/16"	3/4"	5/8"
30	2.6	3.2	3.8	5.3	7.2	9.3	14.5
40	3.5	4.2	5.0	7.0	9.4	12.2	19.0
50	4.3	5.2	6.3	8.8	11.8	15.3	24.0
60	5.2	6.2	7.5	10.5	14.1	18.3	28.5
70	6.0	7.3	8.7	12.2	16.2	21.0	32.7
80	6.8	8.3	9.9	13.9	18.5	24.0	37.3

NOTE: Table based on 50-foot hose length; for 25 feet, multiply by 1.40; for 75 feet, multiply by 0.80.

Table 33. Number of plants per acre at various spacing

Distance Apart	No. of Plants	Distance Apart	No. of Plants	Distance Apart	No. of Plants
3 x 3 inches	696,690	4 x 4 feet	2,722	13 x 13 feet	257
4 x 4 inches	392,040	4½ x 4½ feet	2,151	14 x 14 feet	222
6 x 6 inches	174,240	5 x 1 feet	8,712	15 x 15 feet	193
9 x 9 inches	77,440	5 x 2 feet	4,356	16 x 16 feet	170
1 x 1 foot	43,560	5 x 3 feet	2,904	16½ x 16½ feet	160
1½ x 1½ feet	19,360	5 x 4 feet	2,178	17 x 17 feet	150
2 x 1 feet	21,780	5 x 5 feet	1,742	18 x 18 feet	134
2 x 2 feet	10,890	5½ x 5½ feet	1,417	19 x 19 feet	120
2½ x 2½ feet	6,960	6 x 6 feet	1,210	20 x 20 feet	108
3 x 1 feet	14,620	6½ x 6½ feet	1,031	25 x 25 feet	69
3 x 2 feet	7,260	7 x 7 feet	881	30 x 30 feet	48
3 x 3 feet	4,840	8 x 8 feet	680	33 x 33 feet	40
3½ x 3½ feet	3,555	9 x 9 feet	537	40 x 40 feet	27
4 x 1 feet	10,890	10 x 10 feet	435	50 x 50 feet	17
4 x 2 feet	5,445	11 x 11 feet	360	60 x 60 feet	12
4 x 3 feet	3,630	12 x 12 feet	302	66 x 66 feet	10

Table 34. Times required to mow or trim lawn areas

In Minutes Per 1000 Square Feet - Or - Minutes Per Acre (Numbers Rounded Up To The Nearest Minute)									
Speed Is		And Width of Cut**Is							
Miles Per Hour	Feet Per Minute	6"	12"	18"	24"	36"	48"	60"	72"
.25	22	91	46	31	23	16	12	10	8
.5	44	46	23	16	12	8	6	5	4
1.0	88	23	12	8	6	4	3	3	2
1.25	110	19	10	7	5	4	3	2	66
1.50	132	16	8	6	4	3	2	66	55
1.75	154	13	7	5	4	3	71	57	48
2.0	176	12	6	4	3	2	62	50	42
2.5	220	10	5	3	3	66	50	40	33
3.0	264	8	4	3	83	55	42	33	28
3.5	308	7	4	95	71	48	36	29	24
4.0	352	6	3	83	62	42	31	25	21
4.5	396	6	110	74	55	37	28	22	19
5.0	440	198	99	66	50	33	25	20	17
5.5	484	180	90	60	45	30	23	18	15
6.0	528	165	83	55	42	28	21	17	14
8.0	704	124	62	42	31	21	16	13	11
*Time=Min./1000 sq. ft. above this Line									
*Time=Min./Acre below this Line									
**These figures are for effective width of cut, that is, width of blade less operational overlap averages = 4" to 10"		<p style="text-align: center;">Some Average Speeds</p> <p>Slow Walk - Pushing Mower 150'/Min. Slow Walk 200'/Min. Fast Pushing Mower 250'/Min. Modest Riding Yard Mower 275'/Min. Fast Brisk Walk 300'/Min. Good Riding Yard Mower 300'-350'/Min. Tractor-Towed Riding Mower 6-7 M.P.H.</p>							
1 Acre = 43,560 sq ft; 1 mile = 5,280 lin ft									

Table 35. Cubic yards of soil needed at various depths and areas

		Areas in 1,000 Sq. Ft. and Acres													
		½	1	2	3	4	5	6	7	8	9	10	½A	1A	2A
Depth in Inches	1	2	3	6	9	12	15	17	22	25	28	31	67	134	269
	2	3	6	12	19	25	31	37	43	49	56	62	134	269	538
	3	5	9	19	28	37	46	56	65	74	83	93	202	403	807
	4	6	12	25	37	49	62	74	86	99	111	124	269	538	1076
	5	8	15	31	46	62	77	93	108	124	139	154	336	672	1344
	6	9	19	37	56	74	93	111	130	148	167	185	403	807	1613
	7	11	22	43	65	86	108	130	151	173	194	216	471	941	1882
	8	12	25	49	71	99	124	148	173	198	222	247	538	1076	2151
	9	14	28	56	83	111	139	167	194	222	250	278	605	1210	2420
	10	15	31	62	93	124	154	185	216	247	278	309	672	1344	2688
	11	17	34	68	102	136	170	203	238	272	306	340	739	1479	2858
	12	19	37	74	111	148	185	222	259	296	333	370	807	1613	3227

Table 36. Areas covered in square feet at various depths

		Depth in Inches					
		1	2	3	4	5	6
Depth in Cu. Yds.	1	324	162	108	81	65	54
	2	648	324	216	162	130	108
	3	972	486	324	243	195	162
	4	1296	648	432	324	260	216
	5	1620	810	540	405	324	270
	6	1944	972	648	486	390	324
	7	2268	1134	756	567	455	378
	8	2592	1296	864	648	520	432

Table 37 deals with temperature conversion.

Table 37. Temperature conversion			
Fahrenheit ⇔	Centigrade (Celsius)	Centigrade (Celsius) ⇔	Fahrenheit
0	-17.8	-30	-22.0
5	-15.0	-25	-13.0
10	-12.2	-20	-4.0
15	-9.4	-15	5.0
20	-6.7	-10	14.0
25	-3.9	-5	23.0
30	-1.1	0	32.0
35	1.7	5	41.0
40	4.4	10	50.0
45	7.2	15	59.0
50	10.0	20	68.0
55	12.8	25	77.0
60	15.6	30	86.0
65	18.3	35	95.0
70	21.1	40	104.4
75	23.9	45	113.0
80	26.7	50	122.0
85	29.4	55	131.0
90	32.2	60	140.0
95	35.0	80	176.0
100	37.8	100	212.0


NOTES: 1) To convert temperature in degrees from Centigrade (Celsius) to temperature in degrees Fahrenheit: Multiply Centigrade temperature by **1.8** and add **32**. 2) To convert temperature in degrees Fahrenheit to temperature in degrees Centigrade (Celsius): Subtract **32** and multiply by **0.55**.

Formulas for calculating greenhouse volumes

These formulas are helpful in determining heating and cooling costs for greenhouses.

Figure 1-A. Formula for calculating uneven-span greenhouse volume.


L = length
W = width
 W_1 = width of short span
 W_2 = width of long span
 H_e = height from floor to eave
 H_r = height from eave to top



$$\text{Greenhouse volume in cubic feet} = [(H_e \times W) + (W_1 \times H_r)/2 + (W_2 \times H_r)/2] \times L$$

Figure 1-B. Formula for calculating even-span greenhouse volume.


L = length
W = width
 H_e = height from floor to eave
 H_r = height from eave to top



$$\text{Greenhouse volume in cubic feet} = [(H_e \times W) + (W \times H_r)/2] \times L$$

Figure 1-C. Formula for calculating quonset greenhouse volume.

L = length
W = width
 H_e = height from floor to eave
 H_r = height from eave to top



Formula for calculating the surface area of the gable end, which is an arc segment.

A = arc length of the roof
 R = radius of circle of which a is the arc segment
 α = the angle forming the arc segment

$R = c$

$c = b + H_r$

$a^2 + b^2 = c^2$

$\tan A = a/b$

Examples: $H_r = 4'$, $W = 20'$

$R = c$

$C = b + 4'$

$a = 10'$

$(10)^2 + b^2 = (b + 4)^2$

$b = 10.5$

$c = 10.5 + 4 = 14.5' = R$

$A = (\pi \times R \times \alpha) / 180^\circ$

$\tan A = 10/10.5$

$\tan A = 0.9524$





$\arctan 0.9524 = 43.6^\circ$

$\alpha = 2 \times A = 2 \times 43.6^\circ = 87.2^\circ$

$A = (\pi \times R \times \alpha) / 180^\circ$

$A = (3.14159 \times 14.5 \times 887.2) / 180^\circ$

$A = 22'6''$



Area of an arc segment = $(A \times R) / 2$
 Area = $(22.6 \times 14.5) / 2 = 164 \text{ ft}^2$

But we do not need the area of the entire arc segment, only the area actually present on the greenhouse; so we need to SUBTRACT OFF the bottom triangles:

Area of a triangle = $\frac{1}{2}$ (width x height) = $a \times b = 10 \times 10.5 = 105 \text{ ft}^2$
 So the area of one gable end = $164 \text{ ft}^2 - 105 \text{ ft}^2 = 59 \text{ ft}^2$

Volume (above eaves) is area of gable multiplied by the length of the greenhouse. Greenhouse volume in cubic feet = $(H_e \times W \times L) + (\text{Volume above eaves})$.

Formulas for calculating variously-shaped areas

These formulas are helpful in determining application rates for areas with specific shapes.

Knowledge of the areas is also helpful in estimating amounts of various soil amendments and number of plants needed.

Figure 2-A. Square or rectangle

Area = Length x Width

Area = $L \times W$

Area = $(50') \times (50')$

Area = 2,5000 sq ft




Figure 2-B. Triangle

Area = $\frac{1}{2} \times \text{Base} \times \text{Height}$

Area = $\frac{1}{2} \times B \times H$

Area = $\frac{1}{2} \times (50') \times (75')$

Area = 1,875 sq ft




Figure 2-C. Circle

Area = $\pi \times \text{Radius} \times \text{Radius}$

Area = $\pi \times R^2 = 22/7 (3.14)$

Area = $3.14 \times 20' \times 20'$

Area = 1,256 sq ft




Figure 2-D. Circle (within 5% accuracy)

Area = Diameter x Diameter x 0.8
 Area = $0.8 \times D^2$
 Area = $0.8 \times 40' \times 40'$
 Area = 1,280 sq ft




Figure 2-E. Ovals or egg-shaped (within 5% accuracy)

Area = Length x Width at midpoint x 0.8
 Area = $0.8 \times LW$
 Area = $0.8 \times 20' \times 50'$
 Area = 800 sq ft




Figure 2-F. Irregular shapes (within 5% accuracy)

C Measure the longest axis of the area (length line).
 C At every 10 feet on the length line, measure the width at right angles to the length line.
 C Total all widths and multiply by 10.
 Area = $(A + B + C + D + E + F) \times 10$
 Area = $(50' + 75' + 125' + 150' + 75' + 25') \times 10$
 Area = 500×10
 Area = 5,000 sq ft





Figure 2-G. Unusual-shaped areas

Calculation should be made for various sections.
 In this case, calculate and add together:
 Area of triangle
 Area of rectangle
 $\frac{1}{2}$ Area of circle
 Total area = total sq ft of area



DISCLAIMER: Trade Named Products listed does not imply endorsement over similar products, which may also be available.

Acknowledgments

The authors wish to acknowledge the following sources, certain tables from which were adapted to use in this publication.

- Ball RedBook, 16 ed. 1998. Vic Ball (Ed.) Ball Publishing.
- *Bedding Plants IV*. 1994. J. Holcomb (Ed.) Ball Publishing.
- Cornell Recommendations for Commercial Floricultural Crops, Part 1. Cultural Practices and Production Programs.
- *Greenhouse Operation and Management*, 5th ed. 1998. P. V. Nelson.
- *Hummert's Helpful Hints*, 1999-2000 ed. Hummert International.
- *Installation and Maintenance of Landscape Plants Bedding Plants*. D.A. Bailey and M.A. Powell. 1999. North Carolina State University A&T State University Cooperative Extension. Horticulture Information Leaflet 555.
- *Light and fertilizer recommendations for production of acclimatized potted foliage plants*. C.A. Conover and R.T. Poole, 1984, Foliage Digest (vii) 6: 1-6.
- *Greenhouse Media Lab Acid Addition Calculator to Control Alkalinity in Irrigation Water*. B.E. Whipker, D.A. Bailey, P.V. Nelson, W.C. Fonteno, and P.A. Hammer. Cooperative Extension Services of the Northeast States.
- *Nutrition of Greenhouse Crops, pH and EC Meters – Tools for Substrate Analysis*. 2000. T.J. Cavins, J.L. Gibson, B.E. Whipker, and W.C. Fonteno. North Carolina State University Research Report. Florex.001.
- *Tips on Growing Bedding Plants*, 4th ed. 1999. O.F.A. Services Inc.
- *Tips on the Use of Chemical Growth Regulators on Floriculture Crops*. 1992. O.F.A. Services Inc.
- *Tons to Teaspoons*, L2285, University of California Cooperative Extension Service.
- *Water, Media and Nutrition*. 1996. Alkalinity, pH and Acidification, Chapter 4. David Reed (Ed.) Ball Publishing.



When you have a question ...

Call or visit your local office of The University of Georgia's Cooperative Extension Service.

You'll find a friendly, well-trained staff ready to help you with information, advice and free publications covering agriculture and natural resources, family and consumer sciences, 4-H and youth development, and rural and community development.

The University of Georgia and Ft. Valley State University, the U.S. Department of Agriculture and counties of the state cooperating. The Cooperative Extension Service, the University of Georgia College of Agricultural and Environmental Sciences offers educational programs, assistance and materials to all people without regard to race, color, national origin, age, sex or disability.

**An Equal Opportunity Employer/Affirmative Action Organization
Committed to a Diverse Work Force**

Bulletin 931

Revised February, 2002

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, The University of Georgia College of Agricultural and Environmental Sciences and the U.S. Department of Agriculture cooperating.

Gale A. Buchanan, Dean and Director